

NAME: ODOGWU PAUL CHIDZIE

MATRIC NO.: 15/ENG04/039

DEPARTMENT: ELECT/ELECT

Assignment 2

$$(1) f(x) = e^{-0.5x} (4-x) - 2$$

$$x_{i+1} = x_i - \frac{f(x_i)}{f'(x_i)}$$

$$f(x_i) = e^{-0.5x_i} (4-x_i) - 2$$

$$f'(x_i) \Rightarrow$$

$$u = e^{-0.5x}; \quad v = 4-x$$

$$du = -0.5e^{-0.5x}; \quad dv = -1$$

$$f'(x_i) = (4-x)(-0.5e^{-0.5x}) - e^{-0.5x}$$

$$\therefore x_{i+1} = \frac{x_i - \frac{e^{-0.5x_i} (4-x_i) - 2}{(4-x_i)(-0.5e^{-0.5x_i}) - e^{-0.5x_i}}}{1}$$

$$\text{at iter} = 0 \quad x = 0.5$$

$$\text{for iter} = 1$$

$$x_i = 0.5$$

$$x_{i+1} = \frac{0.5 - \frac{e^{-0.5(0.5)}(4-0.5) - 2}{(4-0.5)(-0.5e^{-0.5 \times 0.5}) - e^{-0.5 \times 0.5}}}{1}$$

$$x_{i+1} = 0.838890606 \quad \text{error} = 0.03947322\%$$

$$\text{for iter} = 2$$

$$x = 0.838890606$$

$$x_{i+1} = \frac{0.838890606 - \frac{e^{-0.5(0.838890606)}(4-0.838890606) - 2}{(4-0.838890606)(-0.5e^{-0.5 \times 0.838890606}) - e^{-0.5(0.838890606)}}}{1}$$

$$x_{i+1} = 0.884956000$$

$$\text{error} = \left| \frac{0.884956000 - 0.838890606}{0.884956000} \right| \times 100\%$$

$$= 5.205388064\%$$

for iter 3

$$x_i = 0.884956000$$

$$x_{i+1} = 0.884956000 - \frac{e^{-0.5(0.884956000)}(4 - 0.884956000) - 2}{(4 - 0.884956000) \times (-0.5e^{-0.5 \times 0.884956000}) - e^{-0.5 \times 0.884956000}}$$

$$x_{i+1} = 0.885708605$$

$$\text{error} = \left| \frac{0.885708605 - 0.884956000}{0.885708605} \right| \times 100\%$$
$$= 0.084971964\%$$

for iter 4

$$x_i = 0.885708605$$

$$x_{i+1} = 0.885708605 - \frac{e^{-0.5(0.885708605)}(4 - 0.885708605) - 2}{(4 - 0.885708605) \times (-0.5e^{-0.5 \times 0.885708605}) - e^{-0.5 \times 0.885708605}}$$

$$x_{i+1} = 0.885708802$$

$$\text{error} = \left| \frac{0.885708802 - 0.885708605}{0.885708802} \right| \times 100\%$$
$$= 0.000002224\%$$
$$= 2.224207319 \times 10^{-7}\%$$

for iter 5

$$x_i = 0.885708802$$

$$x_{i+1} = 0.885708802 - \frac{e^{-0.5(0.885708802)}(4 - 0.885708802) - 2}{(4 - 0.885708802) \times (-0.5e^{-0.5 \times 0.885708802}) - e^{-0.5 \times 0.885708802}}$$

$$x_{i+1} = 0.885708802$$

$$\text{error} = \left| \frac{0.885708802 - 0.885708802}{0.885708802} \right| \times 100\%$$

$$= 0$$

| iter | x | error (%) |
|------|-------------|------------------------------|
| 0 | 0.5 | |
| 1 | 0.838890606 | 0.03947322 |
| 2 | 0.884956000 | 5.205388064 |
| 3 | 0.885708605 | 0.084971964 |
| 4 | 0.885708802 | $2.224207319 \times 10^{-7}$ |
| 5 | 0.885708802 | 0 |

The root of the equation is 0.885708802

(2) $m = 3.5 \text{ kg}$, $g = 9.8 \text{ m s}^{-2}$

$$f_0 = mg$$

$$= 3.5 \times 9.8$$

$$= 34.3$$

Recall $f_0 = \frac{0.3V^2}{500 + (\ln V)^3} - 0.02V$

Substitute the value of f_0

$$34.3 = \frac{0.3V^2}{500 + (\ln V)^3} - 0.02V$$

$$f(V) = \frac{0.3V^2}{500 + (\ln V)^3} - 0.02V - 34.3$$

$$f'(V_i) = \frac{d}{dV} \left[\frac{0.3V_i^2}{500 + (\ln(V_i))^3} \right] - 0.02$$

$$\frac{d}{dV} \left[\frac{0.3V_i^2}{500 + (\ln(V_i))^3} \right] \Rightarrow$$

$$a = 0.3V_i^2$$

$$\frac{da}{dV} = 0.6V_i$$

$$b = 500 + (\ln(V_i))^3$$

$$\frac{db}{dV} = 3(\ln(V_i))^2 \left(\frac{1}{V} \right)$$

$$\Rightarrow \frac{b \frac{da}{dV} - a \frac{db}{dV}}{b^2}$$

$$= \frac{[500 + (\ln(V_i))^3 (0.6 V_i)] - [0.3 V_i^2 (3 \ln(V_i))^2 (1/V)]}{[500 + (\ln(V_i))^3]^2} - 0.02$$

$$\therefore V_{i+1} = V_i - \frac{\left[\frac{0.3 V_i^2}{500 + (\ln V_i)^3} - 0.02 V_i - 34.3 \right]}{\left(\frac{[500 + (\ln(V_i))^3 (0.6 V_i)] - [0.3 V_i^2 (3 \ln(V_i))^2 (1/V)]}{[500 + (\ln(V_i))^3]^2} - 0.02 \right)}$$

Matlab Code

Command window

clear

clc

iter = 0;

V = 18;

for i = 1: int

iter(i+1) = i;

$$V(i+1) = V(i) - \frac{((0.3 * V(i))^2) / (500 + (\log(V(i)))^3) - 0.02 * (V(i) - 34.3)}{(((500 + (\log(V(i)))^3) * 0.6 * (V(i))) - (0.3 * (V(i)) * (3/V(i)) * \log(V(i)))^2)) / (500 + (\log(V(i)))^3) - 0.02};$$

$$\text{err}(i+1) = \text{abs}((V(i+1) - V(i)) / V(i+1) * 100);$$

if err(i+1) <= 'e + 3';

break

end

end

b = [iter' V' err']

The value of V is 304.06753228508