Step 1: Setting up a model

Let $F_A(t)$ denote the amount of fresh air in a room at time (t)

By balance law

$$\frac{\partial F_A}{\partial t} = \text{Fresh air in flow rate} - \text{Fresh air out flow rate}$$

Input of fresh air $600 ft^3/min$

initially there was no fresh air

Hence, $F_A(0) = 0$

Also

output of mixture $= 600 ft^3/min$

Mixture of fresh air and Normal air

$= 20,000 ft^3/min$

$$\frac{\partial F_A}{\partial t} = 600 - \frac{600}{20000} \times F_A(t)$$

$$\frac{\partial F_A}{dt} = 600 - 0.03 F_A$$

$$\frac{\partial F_A}{dt} = -0.03 (F_A - 20,000)$$

Step 2:- Solution of the model

$$\frac{\partial F_A}{\partial t} = +0.03 (F_A - 20,000)$$

$$\frac{\partial F_A}{F_A - 20,000} = -0.03 \partial t$$

Scanned by CamScanner

Integrated both sides, we have

$$\int \frac{dF_A}{F_A - 20,000} = \int -0.03\,dt$$

$$\ln (F_A - 20,000) = -0.03t + C$$

Taking (exp) of both sides

$$F_A - 20,000 = Ce^{-0.03t}$$

where $C = e$

$$F_A = 20,000 + Ce^{-0.03t}$$

Initially there was no fresh air

Hence,

$$F_A(0) = 0$$

$$F_A = 20,000 + Ce^{-0.03t}$$

where $t = 0$, $F_A = 0$

$$0 = 20,000 + C \times e^{-0.03(0)}$$

$$C = -20,000$$

Substitute for C

$$F_A(t) = 20,000 - 20000\,e^{-0.03t}$$

(particular solution)

b) Time at which 90% of the air will become fresh

$$\frac{90}{100} \times \frac{20,000}{1} = 20000 - 20,000\,e^{-0.03t}$$

$$18000 = 20000 - 20000\,e^{-0.03t}$$

$$-2000 = -20000\,e^{-0.03t}$$

$$0.1 = e^{-0.03t}$$

$$\ln 0.1 = -0.03t$$

$$t = 76.75 \text{ mins}$$

Converts mins to seconds

$= 45$ seconds

$\therefore T = 76$ mins 45 seconds

Scanned by CamScanner

c) 6 hours 60 minutes = 60 x 60 = 360 mins

d) The steady-state value of the amount of fresh air in the room = 20000 ft^3 of air

e) ~~The~~ The steady-state value of the amount of fresh air in the room obtained from the response (graph) is given as straight line where there is no longer increase on the amount of fresh air even though there is still increase in the time.

Hence, the amount of fresh air in the room is steady (it does not change) with increase in time (~~[illegible]~~ minutes)

Scanned by CamScanner