

a) Mathematical modelling is a mathematical representation of system and its operation of a system which means solving the model and obtaining its output variable for different values of input variable or dependent variable for different values of its input variable or as input variable or as input variable is changed from the values to another

b) methods of obtaining a model

c) Balance laws - ~~Flow~~ problems

Torricelli's law - leakage problems

c)

Newton

$$T(0) = 10^{\circ}\text{C}$$

$$T(1) = 20^{\circ}\text{C}$$

At heat temperature = $98^{\circ}\text{C} = T_h$

$$\frac{dT}{dt} = k(T - T_h)$$

$$dT = k(T - T_h) dt$$

$$\frac{dT}{(T - T_h)} = k dt + C$$

$$\lim_{t \rightarrow \infty} (T - T_h) = 10t + C$$

$$T - T_h = e^{kt} + C \quad \text{i.e. let } e^C = A$$

$$= e^C \rightarrow A$$

$$T - T_h = A e^{kt}$$

$$T = T_h + A e^{kt}$$

$$T = A e^{kt} + T_h$$

when

$$T = 10$$

$$10 = A e^{k(0)} + 98$$

$$10 = A + 98$$

$$A = -88$$

$$1 = 25 - 15e^{5t}$$

$$at t(5) = 20$$

$$20 = 25 - 15e^{5t}$$

$$15e^{5t} = 25 - 20$$

$$15e^{5t} = 5$$

$$e^{5t} = 5/15 = 0.3333$$

$$5t = \ln 0.3333$$

$$5t = -1.0986$$

$$k = -1.0986/5$$


$$= -0.22$$

$$T(t) = 25 - 15e^{-0.22t}$$
 relating the equation

Using Microsoft Excel:

- Pick a box and insert 't'
- Put another box insert 'T'
- Under the already labelled box 't'
- insert a name of 0 in an empty box
- insert a step value of 4
- Change the series in to column.
- insert a step value of 65
- Under the already labelled box 't'
- Pick a box.
- insert $t = 25 - (15 * \exp(-0.22 * A2))$
- Auto fill
- Go to insert
- Pick a graph of choice (X and Y scatter preferably).
- Label the graph.


Output.



Using MATLAB.

- 1) → command window
- 2) → clear
- 3) → clc
- 4) → close all
- 5) → t = 0 : 1 : 60
- 6) → $T = 25 - 15 \exp(-0.22 * t)$
- 7) → plot (t, T).
- 8) → grid on
- 9) → grid minor
- 10) → xlabel ('Time (secs)')
- 11) → ylabel ('Temperature')
- 12) → grid on
- 13) → grid minor

Output.



Using the dynamic responses, the steady state temperature of the system would be 25°C at 20 minutes.

Using the developed model equation, the temperature of the thermometer e.t. $t \rightarrow \infty$ will be 25°C .