

NAME: MBADINUJU TOBE DAVID

2nd Oct, 2019

MATRIC NO ~~MBADINUJU~~/ENGG01/016

DEPT : CHEMICAL ENGINEERING

ASSIGNMENT 1

1. The dynamic model of a body in motion performing damped force vibration is an eqn 1

$$\frac{d^2x}{dt^2} + 5 \frac{dx}{dt} + 6x = \cos t$$

Given that when $t=0$, $x=0.1$ and $\frac{dx}{dt} = 0$

a) Using the auxiliary Equation method, obtain the solution of the model in form of an expression having x as the function of t .

b.) with the aid of a MATLAB m file program plot the relationship between x and t for $0 \leq t \leq 15$ time and using a step size and 0.01 unit

c.) Write the steady state solution of the model in form of $x = k \sin(t + \phi)$

Soln

$$a.) \frac{d^2x}{dt^2} + 5 \frac{dx}{dt} + 6x = \cos t$$

Auxiliary Eqn: $m^2 + 5m + 6 = 0$

$$m^2 + 2m + 3m + 6 = 0$$

$$m(m+2) + 3(m+2) = 0$$

$$(m+3)(m+2) = 0$$

$$m = -3 \text{ or } -2$$

Complementary function: $x = Ae^{-3x} + Be^{-2x}$

Particular Integral: Assume $x = C \cos t + D \sin t$

$$\frac{dx}{dt} = -C \sin t + D \cos t$$

$$\frac{d^2x}{dt^2} = -C \cos t - D \sin t$$

Putting integral in the value of $\frac{d^2x}{dt^2}$ or $\frac{dx}{dt}$ in the eqn

$-C \cos t - D \sin t + 5(-C \sin t + D \cos t) + 6(C \cos t + D \sin t) = \cos t$
comparing coefficient

$$\text{Coefficient of } \cos t: -(C + 5D) + 6C = 1 \dots \dots (1)$$

$$\text{Coefficient of } \sin t: -D - 5C + 6D = 0 \dots \dots (2)$$

$$\text{from eqn (1)} \quad 5C + 5D = 1 \dots \dots (3)$$

$$1 - 5c - 5c = 0$$

$$1 - 10c = 0$$

$$c = \frac{1}{10}, 0.1$$

$$\therefore 5D = 1 - 5c$$

put the value of c in eqn(5)

$$5D = 1 - 5(0.1)$$

$$5D = 0.5$$

$$D = \frac{0.5}{5} = 0.1$$

Particular solution: $x = Ae^{-3t} + Be^{-2t} + 0.1 \sin t + 0.1 \cos t$

when $t = 0$, $x = 0.1$, $\frac{dx}{dt} = 0$

$$0.1 = A + B + 0.1$$

$$A + B = 0 \quad \text{--- (6)}$$

$$\frac{dx}{dt} = -3Ae^{-3t} - 2Be^{-2t} + 0.1 \sin t + 0.1 \cos t$$

$$0 = -3A - 2B + 0.1$$

(from eqn (6)) $B = -A$

$$0 = -3A - 2(-A) + 0.1$$

$$0 = -A + 0.1$$

$$A = 0.1$$

end B = -A

B = 0.1

General solution: $0.1 e^{-3t} - 0.1 e^{-2t} + 0.1 \sin t + 0.1 \cos t$

2. Command window

clear

clc

close all

syms t

$x = 0.1 * \exp(-3*t) - 0.1 * \exp(-2*t) + 0.1 * \cos(t) + 0.1 * \sin(t)$

t = 0:0.01:15

kn = subs(x)

plot(t, kn)

label('time')

grid on

grid minor

axis tight

C. $0.1 \cos t + 0.1 \sin t = k \sin(t + a)$ at steady flow

$0.1 \cos t + 0.1 \sin t = k \sin t \cos a + k \cos t \sin a$

Comparing Coefficient

Coefficient of $\cos t$: $0.1 = k \sin a$

Coefficient of $\sin t$: $0.1 = k \cos a$

square $k \sin a$ and $k \cos a$ and equate it to the addition

$k^2 \sin^2 a + k^2 \cos^2 a = 0.1 + 0.1$

$k^2 (\sin^2 a + \cos^2 a) = 0.2$ [$\sin^2 a + \cos^2 a = 1$]

$k^2 = 0.2$

$k = \frac{2}{100}$

$k = \frac{\sqrt{2}}{10}$

$\frac{k \sin a}{k \cos a} = \frac{0.1}{0.1}$

$\tan a = 1$

$a = \tan^{-1}(1)$

$a = 45^\circ$ or $\frac{\pi}{4}$

$\therefore k \sin(t + a)$

$k \sin = \frac{\sqrt{2}}{10} \sin\left(\frac{\pi}{4} + t\right)$