

$$A = \int_0^{10} 4 \sin\left(\frac{\pi t}{10}\right) + \frac{4\pi}{5} \sin^2\left(\frac{\pi t}{10}\right) dt$$

$$A = \int_0^{10} 4 \sin\left(\frac{\pi t}{10}\right) dt + \int_0^{10} \frac{4\pi}{5} \sin^2\left(\frac{\pi t}{10}\right) dt$$

$$A = \int_0^{10} 4 \sin\left(\frac{\pi t}{10}\right) dt + \int$$

$$= \int_0^{10} 4 \sin\left(\frac{\pi t}{10}\right) dt + \int_0^{10} \frac{4\pi}{5} \sin^2\left(\frac{\pi t}{10}\right) dt$$

$$A = 4 \int_0^{10} \sin\left(\frac{\pi t}{10}\right) dt + \frac{4\pi}{5} \int_0^{10} \sin^2\left(\frac{\pi t}{10}\right) dt$$

$$\cos^2 x - \sin^2 x = \cos 2x$$

$$1 - \sin^2 x - \sin^2 x = \cos 2x$$

$$1 - 2\sin^2 x = \cos 2x$$

$$= \sin^2 x = 1 - \cos 2x$$

$$\int \sin^2 x dx = \int \frac{1 - \cos 2x}{2} dx = \frac{1}{2} \int (1 - \cos 2x) dx$$

$$= \frac{1}{2} [x - \frac{1}{2} \sin 2x + C]$$

$$\therefore A = \left[\frac{4 \times 10}{\pi} \cos\left(\frac{\pi t}{10}\right) + C \right]_0^{10} + \left[\frac{4\pi}{5} \left(\frac{1}{2} t - \frac{1}{2} \sin\left(\frac{2\pi t}{10}\right) \right) \right]_0^{10}$$

$$A = \left[\frac{40}{\pi} \cos\left(\frac{\pi t}{10}\right) + C \right]_0^{10} + \left[4 \left(\frac{\pi t}{10} - \frac{1}{2} \sin\left(\frac{\pi t}{5}\right) \right) + C \right]_0^{10}$$

$$A = \left[\frac{40}{\pi} \cos\left(\frac{\pi \times 10}{10}\right) - \frac{40}{\pi} \cos\left(\frac{\pi \times 0}{10}\right) \right] + \left[4 \left(\frac{\pi \times 10}{10} - \frac{1}{2} \sin\left(\frac{\pi \times 10}{5}\right) \right) - 4 \left(\frac{\pi \times 0}{10} - \frac{1}{2} \sin\left(\frac{\pi \times 0}{5}\right) \right) \right]$$

$$A = \left[-\frac{40}{\pi} - \frac{40}{\pi} \right] + \left[4\pi - \frac{4}{2} \sin 2\pi - 4 \left(0 - \frac{1}{2} \sin 0 \right) \right]$$

$$A = -\frac{80}{\pi} + \left[4\pi - 0 - 0 \right], A = -\frac{80}{\pi} + 4\pi \therefore A = \frac{4\pi^2 - 80}{\pi} \text{ units}^2$$

Oymdipe Shrawanayya Onitayo

992021317D

Electrical Electronics

ENGG 281 Engineering mathematics I Assignment

- ① $y = 3e^{2x}$, $y = 3e^{-x}$ at ordinates $x=1$ and $x=2$

Area bounded by the curve $A = \int_1^2 3e^{2x} dx - \int_1^2 3e^{-x} dx$

$$A = \left[\frac{3}{2} e^{2x} + C \right]_1^2 - \left[-3e^{-x} + C \right]_1^2$$

$$A = \left[\frac{3}{2} (e^4 - e^2) + C - C \right] - \left[-3e^{-2} + 3e^1 + C - C \right]$$

$$A = [70.81] - [0.678]$$

$$A = 70.112 \text{ Units}^2$$

- ② $y = 2\sin\left(\frac{\pi t}{10}\right)$, $x = 2 + 2t - 5\cos\left(\frac{\pi t}{10}\right)$

$$\frac{dx}{dt} = 2 - 2 \cdot \left(-\sin\left(\frac{\pi t}{10}\right)\right) \times \frac{\pi}{10}$$

$$\frac{dx}{dt} = \frac{4\pi}{10} \sin\left(\frac{\pi t}{10}\right)$$

$$\frac{dx}{dt} = \frac{2\pi}{5} \sin\left(\frac{\pi t}{10}\right)$$

$$dx = \frac{2\pi}{5} \sin\left(\frac{\pi t}{10}\right) dt$$

Area bounded by the parametric eqn's (A) = $\int_{x_1}^{x_2} y dx$

$$A = \int_{x_1}^{x_2} 2 \sin\left(\frac{\pi t}{10}\right) dx$$

but,

$$dx = \frac{2\pi}{5} \sin\left(\frac{\pi t}{10}\right) dt$$

$$A = \int_{t_1}^{t_2} 2 \sin\left(\frac{\pi t}{10}\right) \left[2 + 2t - 5 \sin\left(\frac{\pi t}{10}\right) \right] dt$$

$$t_2 = 10, t_1 = 0$$

$$\therefore A = \int_0^{10} 2 \sin\left(\frac{\pi t}{10}\right) \left[2 + \frac{2\pi}{5} \sin\left(\frac{\pi t}{10}\right) \right] dt$$