

Adeniran Mustaqeemat Adedamola
18/ENG02/007
Computer Engineering

NUMBER 1:

$$A := \begin{pmatrix} 1 & -2 & -1 & 3 \\ 2 & 3 & 0 & 1 \\ 1 & 0 & -4 & -2 \\ 0 & -1 & 3 & 1 \end{pmatrix} \quad +$$

$$B = \begin{pmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \end{pmatrix}$$

$$C := \begin{pmatrix} 10 \\ 8 \\ 3 \\ -7 \end{pmatrix}$$

$$B := A^{-1}C$$

$$B = \begin{pmatrix} -1 \\ 2 \\ -3 \\ 4 \end{pmatrix}$$

NUMBER 2:

t := 0,0.1..10

t =

0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1
1.1
1.2
1.3
1.4
1.5

$$y(t) := \sin(0.25t) + 2t + e^{-0.85t} - 2 \cos\left(\frac{\pi t}{10}\right)$$

y(t) =

-1
-0.856
-0.702
-0.541
-0.373
-0.197
-0.015

+



- 1.2
- 1.3
- 1.4
- 1.5

$$y(t) := \sin(0.25t) + 2t + e^{-0.85t} - 2 \cos\left(\frac{\pi t}{10}\right)$$

y(t) =

- 1
- 0.856
- 0.702
- 0.541
- 0.373
- 0.197
- 0.015
- 0.174
- 0.368
- 0.568
- 0.773
- 0.982
- 1.197
- 1.415
- 1.637
- 1.864

