

MATLAB R2018a

HOME PLOTS APPS EDITOR PUBLISH VIEW

New Open Save Find Files Go To Comment % % % Breakpoints Run Run and Advance Run Section Advance Run and Time

FILE NAVIGATE EDIT BREAKPOINTS RUN

C:\Program Files\MATLAB\R2018a\bin

Current Folder

- arch
- m3iregistry
- registry
- util
- win32
- win64
- deploytool.bat
- lcdata.xml
- lcdata.xsd
- lcdata\_utf8.xml
- matlab.exe
- mbuild.bat
- mcc.bat
- mex.bat
- mex.pl
- mexext.bat

Details

Workspace

Name	Value
P	45
Q	28
S	50

Editor - C:\Users\olado\Documents\MATLAB\DAVIDWAYQUESTION4a.m

```
1 P=45
2 Q=28
3 R=11
4 S=50
5 T=90
6 clear R
7 clear T
8 commandwindow
9 clc
```

Command Window

```
fx >>
```

MATLAB R2018a

HOME PLOTS APPS EDITOR PUBLISH VIEW

Find Files Find Documentation Log In

New Open Save Compare Go To Comment Breakpoints Run Run and Advance Run Section Advance Run and Time

FILE NAVIGATE EDIT BREAKPOINTS RUN

C:\Program Files\MATLAB\R2018a\bin

Current Folder

- arch
- m3registry
- registry
- util
- win32
- win64
- deploytool.bat
- lcdata.xml
- lcdata.xsd
- lcdata\_utf8.xml
- matlab.exe
- mbuild.bat
- mcc.bat
- mex.bat
- mex.pl
- mexext.bat

Details

Workspace

Name	Value
C	100
I	1x1 sym
In	1x36 sym
P	1x1 sym
Pn	1x36 sym
t	1x36 double
V	1x1 sym
Vn	1x36 sym
xlabel	'time(sec)'
ylabel	'variable'

Editor - C:\Users\olado\Documents\MATLAB\DAVIDWAYQUESTION4c.m

```

5 - syms t
6 - V = 110*cos(120*pi*t)
7 - C=100
8 - P = 0.5*C*V^2
9 - I=P/V
10 - t = [0:0.01:0.35]
11 - Vn = subs(V,t)
12 - Pn = subs(P,t)
13 - In = subs(I,t)
14 - plot(t,Vn,t,Pn,t,In)
15 - xlabel('time(sec)')
16 - ylabel('variable')
17 - grid on
18 - grid minor
19 - legend('voltage (V)', 'current (I)', 'power (W)')
20

```

Command Window

```

xlabel =
    'time(sec)'

ylabel =
    'variable'

>>

```

MATLAB R2018a

HOME PLOTS APPS EDITOR PUBLISH VIEW

Find Files Find Documentation Log In

New Open Save Compare Go To Comment % % Breakpoints Run Run and Advance Run Section Advance Run and Time

FILE NAVIGATE EDIT BREAKPOINTS RUN

C:\Program Files\MATLAB\R2018a\bin

Current Folder

- arch
- m3iregistry
- registry
- util
- win32
- win64
- deploytool.bat
- lcdata.xml
- lcdata.xsd
- lcdata\_utf8.xml
- matlab.exe
- mbuild.bat
- mcc.bat
- mex.bat
- mex.pl
- mexext.bat

Details

Workspace

Name	Value
A	4x4 double
B	[10;8;3;-7]
C	4x4 double
D	[-1.0000;2.0000;-3.000...
E	[273;273;273;273]
F	[272;275;270;277]

Editor - C:\Users\olado\Documents\MATLAB\DAVIDWAYEXAMQUESTION4b.m

```
1 - commandwindow
2 - clc
3 - clear
4 - A=[1 -2 -1 3; 2 3 0 1; 1 0 -4 -2; 0 -1 3 1]
5 - B=[10; 8; 3; -7]
6 - C= inv(A)
7 - D= C*B
8 - E= [273; 273; 273; 273]
9 - F= D+E
10
11
12
13
14
15
```

Command Window

```
273
273

F =

272
275
270
277

fx >>
```

QUESTION4b

$$A := \begin{pmatrix} 1 & -2 & -1 & 3 \\ 2 & 3 & 0 & 1 \\ 1 & 0 & -4 & -2 \\ 0 & -1 & 3 & 1 \end{pmatrix} \quad B := \begin{pmatrix} 10 \\ 8 \\ 3 \\ -7 \end{pmatrix}$$

$$A^{-1} = \begin{pmatrix} 0.027 & 0.24 & 0.493 & 0.667 \\ -0.093 & 0.16 & -0.227 & -0.333 \\ -0.107 & 0.04 & 0.027 & 0.333 \\ 0.227 & 0.04 & -0.307 & -0.333 \end{pmatrix} \quad T := A^{-1} \cdot B$$

$$T = \begin{pmatrix} -1 \\ 2 \\ -3 \\ 4 \end{pmatrix}$$

$$Z := \begin{pmatrix} 273 \\ 273 \\ 273 \\ 273 \end{pmatrix}$$

$$Tk := Z + T$$

$$Tk = \begin{pmatrix} 275 \\ 270 \\ 270 \\ 277 \end{pmatrix}$$


$$\begin{aligned} Tk1 &:= 272 \\ Tk2 &:= 275 \\ Tk3 &:= 270 \\ Tk4 &:= 277 \end{aligned}$$

QUESTION4d


$$F(t) := 2 + 2t - 2 \cos\left(\frac{\pi}{10}\right)t$$

$$G(t) := 2 \sin\left(\frac{\pi}{70}\right)t$$

i > separately  
 $0 \leq t \leq 10$



ib



ii > together

