

Burutu Tarimöbwe

18/ENG06/017

ENG 214

Fluid mechanics

1 $V_1 = 5 \text{ms}^{-1}$ $V_2 = 2 \text{ms}^{-1}$

Pthg smaller end = 2.5m

$$h_f = \frac{(0.35(V_1^2 - V_2^2))}{2g} \quad l = 200 \text{m}$$

that lower end =

$$L = Z_1 - Z_2 = 2.4$$

$$\frac{P_1}{w} + \frac{V_1^2}{2g} + Z_1 = \frac{P_2}{w} + \frac{V_2^2}{2g} + Z_2 + h_f$$

$$\frac{P_2}{w} = \frac{P_1}{w} + \frac{1}{2g} (V_1^2 - V_2^2) + (Z_1 - Z_2) h_f$$

$$= 2.3 + \frac{5^2 - 2^2}{2 \times 9.81} + 2 - \frac{0.35(5^2 - 2^2)}{2 \times 9.81}$$

$$= 2.5 + 1.067 + 2 - 0.16033$$

$$P_2 = 5.40969$$

pressure 9610 end 5.40969

2 Inlet diameter = 200m Infront diameter = 100m

$$P_1 = 17.658 \text{u}$$

J = 300m of mercury $\rho_d = 0.98$

$$A_1 = \frac{\pi d^2}{4} = \frac{\left(\frac{20}{100}\right)^2 \times 3.142}{4} = 0.0314 \text{m}^2$$

$$A_2 = \frac{\pi d^2}{4} = \frac{\left(\frac{10}{100}\right)^2 \times 3.142}{4} = 7.833 \times 10^{-3} \text{m}^2$$

$$\frac{P_1}{W} = \frac{1.7658 \times 10^{-3}}{9.81} = 1.8 \times 10^{-4} \text{ m}$$

$$\frac{P_2}{W} = 0.3 \times 13.6 = 4.08 \text{ of } H_2O$$

$$h = \frac{P_1}{W} - \frac{P_2}{W} = 1.8 \times 10^{-4} - (-4.08)$$

$$h = 4.08018 \text{ m}$$

$$Q = C_a \times A_1 A_2 \sqrt{2gh}$$

$$Q = 0.98 \times 0.0314 \times 7.853 \times 10^{-3} \sqrt{(0.0314)^2 - (7.853 \times 10^{-3})^2}$$

$$\times \sqrt{2 \times 9.8 \times 4.08018}$$

$$Q = \frac{0.000241}{0.0304} \times 8.947$$

$$Q = 0.0768 \text{ m}^3/\text{s}$$

3 $\Delta_1 = 15 \text{ cm}$ $\Delta_2 = 30 \text{ cm}$

500m of mercury = 0.5m $Q = ?$

S.G = 0.9 $C_u = 0.64$

$$A_1 = \frac{\pi d^2}{4} = \frac{(15/100)^2 \times 3.14}{4} = 0.0176 \text{ m}^2$$

$$A_2 = \frac{\pi d^2}{4} = \frac{(30/100)^2 \times 3.14}{4} = 0.0706 \text{ m}^2$$

$$h = \pi \sqrt{\frac{13.06}{0.8} - 1}$$

$$h = \frac{0.5 \sqrt{13.06 - 2}}{0.9}$$

$$= 1.05 \text{ m/s}$$

$$Q = \frac{A_1 - A_2}{\sqrt{A_1 A_2}} \times \sqrt{2gh}$$

$$\sqrt{A_1 A_2}$$

$$Q = \frac{0.64 \times 0.0176 (0.0176)}{\sqrt{(0.0176)^2 - (0.0176)^2}} \times \sqrt{2 \cdot 9.81 \times 1.05}$$

$$Q = \frac{9.35 \times 10^{-3}}{1.0112}$$

4

$$A = \pi R \cdot AX13 = 13 \text{ m}$$

170 mm of mercury (0.17 m)

S.G. of mercury = 13.6

S.G. of salt water = 1.026 $v = 7$

$$h = \sqrt{\left(\frac{5h}{g} - 1\right)}$$

$$h = 0.17 \sqrt{\frac{13.06}{1.026} - 1}$$

$$h = 0.2 \cdot 0.88 \text{ m}$$

$$V = \sqrt{2gh}$$

$$V = \sqrt{2 \times 9.81 \times 2.0088}$$

$$V = 6.39 \text{ m/s}$$

5

$$0.65 \text{ m}^3/\text{min}$$

$$15 \text{ bar}$$

$$1700 \text{ rpm}$$

$$10 \text{ m}^3/\text{min}$$

$$15 \text{ Nm/s}$$