

Kareem Kalejaiye  
18/ENG 03/035  
Civil Engineering

1) pressure difference  $\langle P_1 - P_2 \rangle$

$$A_1 = \frac{\pi D_1^2}{4} = \frac{\pi \times 0.15^2}{4} = 0.01767 \text{ m}^2$$

$$A_2 = \frac{\pi D_2^2}{4} = \frac{\pi \times 0.075^2}{4} = 0.00442 \text{ m}^2$$

$$Q = C_d \times A_1 A_2 \times \sqrt{2gh}$$

$$0.04 = \frac{0.96 \times 0.01767 \times 0.00442 \times \sqrt{2 \times 9.81 \times h}}{\sqrt{0.01767^2 - 0.00442^2}}$$

$$0.04 = 0.96 \times 0.004555 \times 4.429\sqrt{h}$$

$$h = \left( \frac{0.04}{0.96 \times 0.004555 \times 4.429} \right)^2 = 4.247 \text{ m}$$

$$h = \left( \frac{P_1}{\rho} + Z_1 \right) - \left( \frac{P_2}{\rho} + Z_2 \right)$$

$$h = \left( \frac{P_1 - P_2}{\rho} \right) + (Z_1 - Z_2)$$

$$4.247 = \left( \frac{P_1 - P_2}{\rho} \right) - 0.15$$

$$4.247 + 0.15 = \frac{P_1 - P_2}{\rho}$$

$$(4.247 + 0.15) \rho = P_1 - P_2$$

$$P_1 - P_2 = (0.8 \times 1000 \times 9.81) (4.247 + 0.15)$$

$$P_1 - P_2 = 34.51 \text{ kN/m}^2$$

2) Diameter Inlet  $D_1 = 300 \text{ mm} = 0.3 \text{ m}$

$$\text{Area of Inlet } A_1 = \frac{\pi \times 0.3^2}{4} = 0.07 \text{ m}^2$$

Diameter of throat  $D_2 = 150 \text{ mm} = 0.15 \text{ m}$

$$\text{Area of Inlet } A_2 = \frac{\pi \times 0.15^2}{4} = 0.01767 \text{ m}^2$$

specific gravity of heavy liquid (mercury) in U tube  
manometer etc = 13.6

specific gravity of liquid (oil) flowing through  
pipe  $S_p = 0.9$

Reading of differential manometer,  $y = 250 \text{ mm} = 0.25 \text{ m}$

The differential "h" is given by

$$h = \left( \frac{P_1}{\rho} + Z_1 \right) - \left( \frac{P_2}{\rho} + Z_2 \right)$$

$$= y \left[ \frac{S_h}{S_p} - 1 \right] = 0.25 \left[ \frac{13.6}{0.9} - 1 \right] = 3.53 \text{ m of oil}$$

a) Discharge of oil Q

using the relation

$$Q = C_d \times A_1 A_2 \times \sqrt{2gh}$$

$$Q = \frac{0.98 \times 0.07 \times 0.01767 \times \sqrt{2 \times 9.81 \times 3.53}}{\sqrt{0.07^2 - 0.01767^2}}$$

$$Q = 0.1487 \text{ m}^3/\text{s}$$

$$b) h = \left( \frac{P_1}{\rho} + Z_1 \right) - \left( \frac{P_2}{\rho} + Z_2 \right) = 3.53$$

$$h = \left( \frac{P_1 - P_2}{\rho} \right) - (Z_2 - Z_1) = 3.53$$

$$Z_2 - Z_1 = 300 \text{ mm} = 0.3 \text{ m}$$

$$\left( \frac{P_1 - P_2}{\rho} \right) - 0.3 = 3.53$$

$$\frac{P_1 - P_2}{\rho} = 3.53 + 0.3$$

$$\frac{P_1 - P_2}{\rho} = 3.83$$

$$P_1 - P_2 = 3.83 \rho$$

$$P_1 - P_2 = 3.82 \times 9.81 \times 0.9 = 33.8 \text{ kN/m}^2$$

