

Name: Folarin Faith Tunmise

Department: MBBS

Matric no: 19/MHS01/175

Course: BIOLOGY 102

## ASSIGNMENT

### Eichler's grouping of 1883

| DIVISION      | CLASS   |
|---------------|---|
| Thallophyta   | Phycotinae (Algae)<br>Mycotinae (Fungi)   |
| Bryophyta     | Hepaticae<br>(Liverworts)<br>Musci (Mosses)   |
| Pteridophyta  | Psilotinate (Psilotum)<br>Lycopodinae<br>(Lycopodium,<br>Selaginella)<br>Equisetinae<br>(Horsetails)<br>Filicinae (Ferns) |
| Spermatophyta | Gymnospermae<br>(Gymnosperms)<br>Angiospermae<br>(Angiosperms)  |

### Importance of Algae to man

- It serves as food for people
- The red algae provide agar and carrageen used for the preparation of various gels used for scientific research
- It's contains high iodine content which prevents goitre
- It serves as thickening agents in ice cream and shampoo

- Alginic acid from the brown algae is used to stabilize emulsions and suspensions.

### Unicellular form of Algae

- Chlamydomonas represents the unicellular and module forms of green algae.
- It's found in stagnant water.
- It has the flagella which enables movement
- The cell is bounded by a cellulose cell wall
- The stigma is for photoreception

### REPRODUCTION

Reproduction can either be vegetative (asexual) or sexual

Vegetative results in the production of daughter cells in which the amount and quality of genetic material in the nucleus of the mother cell is maintained in the daughter cells. The amount of genetic material in the mother cell nucleus of  $n$ , the daughter cells also have  $n$  quantity of genetic material. The mitotic division maintains the quality and quantity of genetic material.

Sexual reproduction

It involves union of sex cell, aggregation of cells in a colony occurs under favourable conditions. These cells pair by their posterior end. This pairing is said to be isogamous because the pairing cells(gametes) are morphologically identical .

### The colonial forms in Algae

- Pandorina
- Volvox

| Pandorina                          | Volvox                          |
|------------------------------------|---------------------------------|
| Sexual reproduction is anisogamous | Sexual reproduction is oogamous |
| Unicellular motile thallus         | Multicellular motile thallus    |
| It's a genus of green algae        | It's complex form of pandorina  |

### Complex form in the Algae

Focus

It's a genus of the brown Algae whose species are found on rocks in the intertidal zones of the sea shores. The body of the plant is flattened, dichotomously-branched thallus with a

mid-rib, a vegetative apex and a multicellular disk with which plant is attached to rock surface. The body has air bladders which is believed to aid the plant to float on the water. It varies in size from a few centimetres to about 2 metres in length.

Sexual reproduction is oogamous, sex cells are produced in conceptacles which have openings (ostioles) on the surface of the thallus.