

NAME: OGUNJIMI ALEEM AKINOLA

MATRIC NO: 18/ENG04/060

DEPARTMENT: ELECT/ELECT

- 1. Write a C program to convert 1343 days into years, weeks and days
(Note: Ignore leap year).**

```
/*program to convert days into years weeks and days*/
#include <stdio.h> #include
<math.h>
int main(void)
{
    float d,y,w,days;
    printf("enter days:\n");
    scanf("%f",&d);
    y=d/365;    w=d/7;
    days=d;
    printf("year|%f\n",y);
    printf("week|%f\n",w);
    printf("days|%f",days);
    return 0; }
```

- 2. Write a C program to calculate the distance between the two points.**

Note: x1, y1, x2, y2 are all double values.

```
/*program to calculate distance between two points*/
#include <stdio.h>
#include <math.h> //sqrt function is in the header file math.c int
main()
{
    int x1,y1,x2,y2;
    float d;    printf("enter first
point: ");
    scanf("%d%d",&x1,&y1);
    printf("enter second point: ");
    scanf("%d%d",&x2,&y2);
```

```

d = (float)sqrt((x1-x2)*(x1-x2)+(y1-y2)*(y1-y2));
printf("distance= %f",d);
return 0;
}

```

3. Write a C program that reads three floating values and check if it is possible to make a triangle with them. Also, calculate the perimeter of the triangle if the said values are valid.

```

/*program to calculate perimeter of a right angled triangle*/
/*hypotenuse is larger than the opposite and the adjacent*/
#include <stdio.h>
#include <math.h> int
main()
{
    float a,b,c;    int
p,perimeter;    printf("enter
hypotenuse");
scanf("%f",&a);
printf("enter opposite");
scanf("%f",&b);
printf("enter adjacent");
scanf("%f",&c);
perimeter=a+b+c;
if(a>b&&c)
    printf("p=%d",perimeter);
else
    if(a<b&&c)
        printf("Error,the values entered cannot form a right angled
triangle");
}

```

4. Write a C program to read age of 20 people and count total Baby age, School age and Adult age

```

/*program to read age of 20 people and count total Baby age, School age
and Adult age.*/
#include <stdio.h> int count;
int main(void)
{

```

```
/*print the numbers 1 through 20*/
count=1;
while (count<=4)
{
    printf("\n%d",count);
    count++;
}
return 0;
}
```