


```

commandwindow
clearvars
clc
format short g
syms t kp td tp
v = kp*(1-exp(-((t-td)/tp)));
mdata = xlsread('
1587203818odevbesdata', 'data1');
t1 = mdata(:,1);
v = mdata(:,2);
V1 = round(mdata(900,2),1)
t0 = ones(length(v),1)
t = [t0 t1]
[mcoeff, mcoeffint, mresid, mresidint,
manova] = regress(v,t);
% mcoeff
% rsquaredvalue=mcoeff(1)
plot(t,v);
xlabel('Time (min)')
ylabel('Volume (m^3)')
grid on

```



G

```

commandwindow
clearvars
clc
format short g
syms t kp td tp
v = kp*(1-exp(-((t-td)/tp)));
mdata = xlsread('
1587203818odevbesdata', 'data1');
t1 = mdata(:,1);
v = mdata(:,2);
V1 = round(mdata(900,2),1)
t0 = ones(length(v),1)
t = [t0 t1]
[mcoeff, mcoeffint, mresid, mresidint,
manova] = regress(v,t);
% mcoeff
% rsquaredvalue=mcoeff(1)
plot(t,v(:,1), 'g-o', 'Marketindices',
([1:40::length(t)]));
xlabel('Time (min)')
ylabel('Volume (m^3)')
grid on

```

