

Name: Lotanna Francis Ojetweli

Department: Mechatronics

ENIG 282

18/ENIG05/052

Accumulation rate = ~~accumulation~~ ^{input} rate of salt - output rate of salt

Denoting the amount of salt in the tank at any time as y

$$\text{Then } \frac{dy}{dt} = y_{in} - y_{out}$$

1 gallon = (1.02) lb of salt

at $t=0$, (1.02) = (1.02) = 1.02 lb of salt

the amount of salt entering the tank

$$= y_{in} = \frac{50 \text{ gal}}{\text{min}} \times \frac{1.02 \text{ lb}}{\text{gal}} = \frac{51 \text{ lb}}{\text{min}}$$

1250 gal is within the tank

50 gal enters the tank per min

$$\frac{50}{1250} = 0.025$$

\therefore 2.5% of the salt in the tank will leave per minute

$$\text{Then } \frac{dy}{dt} \frac{\text{lb}}{\text{min}} = \frac{51 \text{ lb}}{\text{min}} - 2.5\% \text{ of } y \frac{\text{lb}}{\text{min}}$$

$$\frac{dy}{dt} = 51 - 0.025y \quad ; \quad \frac{dy}{dt} = -0.025y + 51$$

$$\frac{dy}{dt} = -0.025 \left[\frac{-0.025y + 51}{-0.025} - 0.025 \right]$$

$$= -0.025 (y - 2040)$$

$$\int \frac{dy}{(y - 2040)} = \int -0.025 dt$$

$$\int \frac{dy}{y-2040} = -0.025 \int dt$$

$$\ln(y-2040) = -0.025t + C$$

$$y-2040 = e^{-0.025t+C} \quad y-2040 = e^{-0.025t} e^C$$

$$y-2040 = e^{-0.025t} y_0$$

$$y-2040 = y_0 e^{-0.025t}$$

$$y = y_0 e^{-0.025t} + 2040$$

when $t = 0 \text{ min}$; $y = 150 \text{ lb}$

$$150 = y_0 e^{0.025(0)} + 2040$$

$$150 - 2040 = y_0 \times 1$$

$$y_0 = -1890$$


$$y = -1890 e^{-0.025t} + 2040$$

$$y = 2040 - 1890 e^{-0.025t}$$


```

1 - commandwindow
2 - clear
3 - clc
4 - close all
5 - syms t
6 - values=[]
7 - t=1:1:500
8 - mean=1000-((exp(-0.05*t))*800)
9 - y=1000+(50/1.0025)*sin(t)+(2.5/1.0025)*cos(t)-((exp(-0.05*t))*802.4
10
11 - if rem(t,2) ==0
12 -     values=[values,mean]
13 - else
14 -     values=[values,y]
15 - end
16 - excelvalues=transpose(values)
17 - mins=transpose(t)
18 - plot(t,values)
19 - grid on
20 - grid minor
21 - xlabel('time(mins)')
22 - ylabel('volume(litres)')
23 - xlswrite('odevbesdata.xlsx',{'t(min)'},'veriler','A1')
24 - xlswrite('odevbesdata.xlsx',mins,'veriler','A2')
25 - xlswrite('odevbesdata.xlsx',{'V(Litre)'},'veriler','B1')
26 - xlswrite('odevbesdata.xlsx',excelvalues,'veriler','B2')
27

```



```
1 - commandwindow
2 - clear
3 - clc
4 - close all
5 - syms m t
6 - ans=dsolve('Dm+0.025*m=50+50*sin(t)', 'm(0)=150')
7 - t=0:0.5:450
8 - tn=subs(ans,t)
9 - plot(t,tn)
10 - grid on
```



```
[ 150, 2000 - (2000*1601^(1/2)*cos(atan(1/40) + 1/2))/1.0  
fx >>  
<
```

