$5y = e^{2t} \sin 2t - e^{2t} (\cos 2t + c)$ $4 \qquad 4 \qquad 2$ $5y = e^{2t} \sin 2t - 2e^{2t} \cos 2t + c$ $4 \qquad 1$ $5y = e^{2t} \sin 2t - 2e^{2t} \cos 2t + c$ $4 \qquad 1$ $y = e^{\pi} \sin 2\pi - 2e^{\pi} \cos 2\pi + c$ 5 Putting the Value of y back $< Se^{2} Sin 2x = e^{2} Sin 2x - 2e^{2} Cos 2x + C$ 5

d²y = 2e^{2x} + d (2x E^{2x}) 5 dx² = 2e^{2x} + 2e^{2x} + 4xe^{2x} E $\frac{2}{2} \frac{dx^{2}}{d^{2}y} = 4e^{2x} + 4xe^{2x}$ 5 dx2 4 dy = 4 (e^{2x}+2xe^{2x}) => 4e^{2x} + 8xe^{2x} de $4y = 4(ze^{2z}) \Rightarrow 4ze^{2z}$ Then d=y - 4 dy + 4y =0 $\frac{dx^2}{(4e^{2x} + 4xe^{2x}) - (4e^{2x} + 8xe^{2x}) + 4xe^{2x} = 0}$ < d2y - 4 dy + 4y = 0 de de 3) Set Sin 2x Y= et and dy = Sin 22 dy = et de, U= - (0522 Sudu = UV - Sudu $Se^{\pm}sin 2\pi = -e^{\pm}Cos 2\pi + \int e^{\pm}Cos 2\pi e^{\pm}$ $\int e^{\infty} \cos 2\pi = \frac{1}{2} \int e^{\infty} \cos 2\pi$ $\int e^{2} \cos 2x = \left(\frac{e^{2} \sin 2x}{2} - \int \frac{e^{2} \sin 2x}{2} \right)^{2}$ $2\int e^{\pm} \sin 2\pi = e^{\pm} \sin 2\pi - e^{\pm} \cos 2\pi - \int e^{\pm} \sin 2\pi$ let Sez Sin 2x - ez Cos 2x + C be y $y = e^{2} \sin 2z - e^{2} \cos 2z - y + C$ 4 - 2 - 4

NAME: Lawal Ube lawal Course: MATH 104 Department: Cruit Engineering MATRIENO: 19 [ENG 03] 027 MATH 104 Assignment Answers 1) y= 2 cos 3×. dy 23 dx let 4 = 2 cos 3 2 , Y = 2 3 $du = -6\sin 3x \quad dy = 3x^2$ dæ dæ dy = V dy - U dy dz dz dz V^2 $\Rightarrow x^{3} (-6\sin 3x) - 2\cos 3x (3x^{2})$ x^{6} $2 dy = -6x^{2} (x \sin 3x - \cos 3x)$ $dx \qquad x^{6}$ 21 y= xe2x Show that dzy - 4 dy + 4y=0 $dx^2 \quad dz$ $lot u = 2e, \quad u = e^{22}$ $\frac{dy}{dx} = 1 \qquad \frac{dy}{dx} = 2e^{2x}$ $\frac{dy}{dx} = 2e^{2x} + 2xe^{2x}$ $\frac{dy}{dx} = 2e^{2x} + 2xe^{2x}$ $\frac{dx}{dy} = e^{2x} + 2xe$ $let U = e^{2\pi} + 2\pi^{e^{2\pi}}$ de

Math 104 assignments 2