

NAME: ABBAH MARY EDUGWU  
MATRIC NUMBER:19/MHS01/001  
DEPARTMENT:MBBS  
COURSE CODE:BIO 102.


1. Fungi(s) are important to man by;

Providing food for man, for example many mushrooms are edible and different species are cultivated for sale worldwide.

They can also be used as medicines like penicillin an antibiotic drug which is gotten from the fungus called penicillium. Another fungi called the caterpillar fungi can be used to treat certain types of cancer

They can also be used in controlling insect pests for crops and are used to recycle organic matters.

2.



3. The sexual reproduction in the fungi consists of three stages;

The plasmogamy, karyogamy and meiosis. The diploid chromosomes are pulled apart into two daughter cells, each containing a single set of chromosomes (haploid state).

Plasmogamy, the fusion of two protoplasts (the contents of two cells), brings about two

compatible haploid nuclei. At this point, two nuclear types are present in the same cell, but the nuclei is not yet fused.

Karyogamy is called the zygote. In most fungi the zygote is the only cell in the entire life cycle that is diploid. The dikaryotic state that results from plasmogamy almost immediately.

In the more evolved fungi, however, karyogamy is separated from plasmogamy. Once karyogamy has occurred, meiosis (cell division that reduces the chromosome number to one set per cell) generally follows and restores the haploid phase. The haploid nuclei that result from meiosis are generally incorporated in spores called meiospores.

4. Bryophytes adapt to their environment by;

Using their waxy cuticle that prevents their zygote, body, and the embryo from drying out. Spores are dispersed by the wind.

5. Eusteles- the plural of eustele which is the typical of a dicotyledonous plants that consists of vascular bundles of xylem and phloem strands with strands with parenchymal cells between the bundles

Atactostele- A type of eustele, found in monocots, in which the vascular tissue in the stem exists as scattered bundles.

Siphonostele- A stele consisting of a core of pith surrounded by concentric layers of xylem and phloem.

Dictyostele - A stele in which vascular cylinder is broken into a longitudinal series or network of vascular strands around a central pith (as in many ferns).

6. The life cycle of vascular plants is split between free living gametophytes and sporophytes phases. The gametophyte is generally simple in structure, containing egg producing archegonium.