

NAME: ELEGBE CALEB OSIGBODI

DEPARTMENT: COMPUTER ENGINEERING

MATRIC NO: 18/ENG02/038

COURSE: ENG 224 ASSIGNMENT

1. Conceptualization:

This is a software that controls the irrigation system of the ABUAD farm. It serves as an interface between the farming operator and the irrigation system.

2. Specification: Modus:

- i. Soil sampling ii.
Temperature
monitor iii.
Moisture
determination iv.
Water supply v.
Alarm system

3. Design:


- i. Algorithm: 1. Start
2. Boot system

3. Enter password 4. Check soil temperature 5. Read soil moisture content 6. Set time interval for water supply to maintain regular soil moisture If water level is low, sound alarm Else maintain soil moisture

7. Stop ii.

Flow

chart:



4. The program is written in a high level language including the necessary features
5. A dry run is carried out to know the state of the program and bugs are removed.

2. The program has both hardware and software components:

Hardware: Irrigation machine, the computers, the soil monitoring hardware.

Software: Soil monitoring software, irrigation control software, user interface software.

The process begins when the farm operator starts up the system.

The system start up requires all units to be powered up after which a password is required by the user to be inputted.

After which the user may then begin the soil maintaining process. First the soil is collected by the soil monitoring machine, after which its temperature is then checked along side its moisture content. Then the system compares the moisture content of the soil to the standard it meant to be. The user then sets the desired amount of moisture content to be added to the soil, if the water supply is not enough the alarm system would kick in, while if the water is enough the system will maintain the moisture content of the soil.

3. Design:

iii. Algorithm:

1. Start
password
Read soil moisture content
for water supply to maintain
moisture
Else maintain soil moisture

2. Boot system

3. Enter
password

4. Check soil temperature

5.
Read soil moisture content


6. Set time interval
regular soil

7. If water level is low, sound alarm

8. Stop ii.

Flow

chart:



Devices

computers

equipment

