

DJO. Olumadara Toluwani
18/EN902/072
Computer Engineering
MAT104 (CO)

$$2 \quad y = \frac{(2x^2+3)}{\ln 2x}$$

$$\ln y = \ln(2x^2+3)$$

$$\frac{1}{y} \cdot \frac{dy}{dx} = \frac{1}{2x^2+3} \cdot 4x - \frac{1}{\ln 2x} \cdot \frac{1}{x}$$

$$\frac{1}{y} \cdot \frac{dy}{dx} = \frac{4x}{2x^2+3} - \frac{1}{x \ln 2x}$$

$$\frac{dy}{dx} = y \left[\frac{4x}{2x^2+3} - \frac{1}{x \ln 2x} \right]$$

$$\frac{dy}{dx} = \frac{2x^2+3}{\ln 2x} \left[\frac{4x}{2x^2+3} - \frac{1}{x \ln 2x} \right]$$

$$\frac{dy}{dx} \text{ at } x = 2.5$$

$$\frac{dy}{dx} = \frac{2(2.5)^2+3}{\ln 2(2.5)} \left[\frac{4(2.5)}{2(2.5)^2+3} - \frac{1}{2.5 \ln 2(2.5)} \right]$$

$$\frac{dy}{dx} = \frac{6.1535}{1.609} \quad , \quad \frac{dy}{dx} = 3.8244$$

$$\frac{dy}{dx} \approx 3.82$$

$$\frac{dy}{dx} \text{ at } x = 2.5 = 3.8244$$

$$2 \quad \text{Gradient} = \frac{dy}{dx}$$

$$y = \frac{2x}{(x^2-5)}$$

$$\ln y = \ln(2x) - \ln(x^2-5)$$

$$\frac{1}{y} \cdot \frac{dy}{dx} = \frac{1}{2x} \cdot 2 - \frac{1}{x^2-5} \cdot 2x$$

$$\text{let } y = \left(\frac{u^2-1}{2}\right), \frac{dy}{du} = u$$

$$x = \sqrt{y}, \frac{dx}{dy} = \frac{1}{2\sqrt{y}}$$

$$\frac{dx}{dy} = \frac{1}{2\sqrt{\frac{u^2-1}{2}}}$$

$$\frac{dx}{dy} = 1 \times \frac{2}{2\sqrt{u^2-1}} = \frac{\sqrt{2}}{2\sqrt{u^2-1}}$$

$$\frac{dx}{dy} = \frac{dy}{du} \times \frac{dx}{dy}$$

$$\frac{dx}{du} = \frac{u \cdot \sqrt{2}}{2\sqrt{u^2-1}}$$

$$\frac{dx}{du} = \frac{u\sqrt{2}}{2\sqrt{u^2-1}}, dx = \frac{u\sqrt{2} \cdot du}{2\sqrt{u^2-1}}$$

$$\int x \sqrt{2x^2+1} dx$$

$$\int \frac{u^2-1}{2} \cdot u \cdot \frac{u\sqrt{2} \cdot du}{2\sqrt{u^2-1}}$$

$$\int \frac{u^2 du}{2} = \left[\frac{u^3}{6} \right] + C$$

$$\int_0^2 x(2x^2+1)^{1/2}$$

$$= \left[\frac{\sqrt{2(2)^2+1}}{6} \right]^3 - \left[\frac{\sqrt{2(0)^2+1}}{6} \right]^3$$

$$= \frac{(\sqrt{9})^3}{6} - \frac{(\sqrt{1})^3}{6}$$

$$= \frac{3^3}{6} - \frac{1^3}{6}$$

$$= \frac{27}{6} - \frac{1}{6} = \frac{27-1}{6} = \frac{13}{3}$$

$$= \frac{13}{3} \text{ square units}$$

$$\frac{1}{y} \cdot \frac{dy}{dx} = \frac{2}{2x} - \frac{2x}{x^2-5}$$

$$\frac{1}{y} \frac{dy}{dx} = \frac{1}{x} - \frac{2x}{x^2-5}$$

$$\frac{dy}{dx} = y \left[\frac{1}{x} - \frac{2x}{x^2-5} \right]$$

$$\frac{dy}{dx} = \frac{2x}{x^2-5} \left[\frac{1}{x} - \frac{2x}{x^2-5} \right]$$

$$\frac{dy}{dx} = b$$

\therefore In at point $(2, -4)$

$$b = \frac{2(2)}{2^2-5} \left[\frac{1}{2} - \frac{2(2)}{2^2-5} \right]$$

$$b = \frac{4}{-1} \left[\frac{1}{2} - \left(\frac{4}{-1} \right) \right]$$

$$b = -4 [0.5 + 4]$$

$$b = -4 \times 4.5$$

$$b = -18$$

3 If $z = 2x^3ny$. Find dz/dy

$$\frac{dz}{dy} = 2x^3 \times \frac{1}{y}$$

$$\frac{dz}{dy} = \frac{2x^3}{y^4}$$

4 $\int_0^2 x \sqrt{2x^2+1} dx$

let $u = \sqrt{2x^2+1}$

$$u^2 = 2x^2+1$$

$$2x^2 = u^2 - 1$$

$$x^2 = \frac{u^2 - 1}{2}$$

$$x = \left(\frac{u^2 - 1}{2} \right)^{1/2}$$