

ABA DORCAS MANGWO

18/MHS07/001

PHARMACOLOGY

PHS 212

QUESTION: WRITE A SHORT NOTE ON THE CHARACTERISTICS (AND COMPONENTS) OF URINE

ANSWER: Physical Characteristics of Urine

Urine is a sterile waste product composed of water soluble nitrogen products

Urine color is an indicator for hydration.

Urine pH is often influenced by diet.

Urine smell indicates age of the urine and may indicate the presence of glucose and ketones.

Urine turbidity may indicate urinary tract infection or obstruction.

Urinalysis is the process of analyzing and detecting chemicals excreted in urine.

Physical characteristics of urine include color, smell, pH, density and turbidity.

Physical Characteristics

Physical characteristics that can be applied to urine include color, turbidity (transparency), smell (odor), pH (acidity – alkalinity) and density. Many of these characteristics are notable and identifiable by vision alone, but some require laboratory testing.

Color: Typically yellow-amber, but varies according to recent diet and the concentration of the urine. Drinking more water generally tends to reduce the concentration of urine, and therefore causes it to have a lighter color. Dark urine may indicate dehydration. Red urine indicates red blood cells within the urine, a sign of kidney damage and disease.

Smell: The smell of urine may provide health information. For example, urine of diabetics may have a sweet or fruity odor due to the presence of ketones (organic molecules of a particular structure) or glucose. Generally fresh urine has a mild smell but aged urine has a stronger odor similar to that of ammonia.

The pH of normal urine is generally in the range 4.6 – 8, with a typical average being around 6.0. Much of the variation occurs due to diet. For example, high protein diets result in more acidic

urine, but vegetarian diets generally result in more alkaline urine (both within the typical range of 4.6 – 8).

Density: Density is also known as “specific gravity.” This is the ratio of the weight of a volume of a substance compared with the weight of the same volume of distilled water. The density of normal urine ranges from 0.001 to 0.035.

Turbidity: The turbidity of the urine sample is gauged subjectively and reported as clear, slightly cloudy, cloudy, opaque or flocculent. Normally, fresh urine is either clear or very slightly cloudy. Excess turbidity results from the presence of suspended particles in the urine, the cause of which can usually be determined by the results of the microscopic urine sediment examination. Common causes of abnormal turbidity include: increased cells, urinary tract infections or obstructions.

Abnormalities in any of these of physical characteristics may indicate disease or metabolic imbalances. These problems may seem superficial or minor on their own, but can actually be the symptoms for more serious diseases, such as diabetes mellitus, or a damaged glomerulus.

Chemical Composition of Urine

Normal urine consists of water, urea, salts, and pigments.

Urine is a liquid byproduct of the body secreted by the kidneys through a process called urination and excreted through the urethra. The normal chemical composition of urine is mainly water content, but it also includes nitrogenous molecules, such as urea, as well as creatinine and other metabolic waste components.

Other substances may be excreted in urine due to injury or infection of the glomeruli of the kidneys, which can alter the ability of the nephron to reabsorb or filter the different components of blood plasma.

Normal Chemical Composition of Urine

Urine is an aqueous solution of greater than 95% water, with a minimum of these remaining constituents, in order of decreasing concentration:

Urea 9.3 g/L.

Chloride 1.87 g/L.

Sodium 1.17 g/L.

Potassium 0.750 g/L.

Creatinine 0.670 g/L.

Other dissolved ions, inorganic and organic compounds (proteins, hormones, metabolites).

Urine is sterile until it reaches the urethra, where epithelial cells lining the urethra are colonized by facultatively anaerobic gram-negative rods and cocci. Urea is essentially a processed form of ammonia that is non-toxic to mammals, unlike ammonia, which can be highly toxic. It is processed from ammonia and carbon dioxide in the liver.

Abnormal Types of Urine

There are several conditions that can cause abnormal components to be excreted in urine or present as abnormal characteristics of urine. They are mostly referred to by the suffix -uria. Some of the more common types of abnormal urine include:

Proteinuria—Protein content in urine, often due to leaky or damaged glomeruli.

Oliguria—An abnormally small amount of urine, often due to shock or kidney damage.

Polyuria—An abnormally large amount of urine, often caused by diabetes.

Dysuria—Painful or uncomfortable urination, often from urinary tract infections.

Hematuria—Red blood cells in urine, from infection or injury.

Glycosuria—Glucose in urine, due to excess plasma glucose in diabetes, beyond the amount able to be reabsorbed in the proximal convoluted tubule.

Regulation of Urine Concentration and Volume

Antidiuretic hormone (ADH) is produced by the pituitary gland to control the amount of water that is reabsorbed through the collecting duct.