

**28)**

```
#include<stdio.h>

int main() {
    int rad;
    float PI = 3.14, area, perimeter;
    printf("\nEnter radius of circle: ");
    scanf("%d", &rad);
    area = PI * rad * rad;
    printf("\nArea of circle : %f ", area);
    perimeter = 2 * PI * rad;
    printf("\nperimeter : %f ", perimeter);
    return (0);
}
```

**29)**

```
#include<stdio.h>

int main()
{ int a, b,c,d;
    printf("Enter two negative integers\n ");
    scanf("%d %d",&a,&b);
    c=(-a);
```



```
d=(-b);  
printf("\nYour positive positive are: %d %d ",c,d);  
return 0;}
```

### 30)

```
#include<stdio.h>  
int main()  
{  
    int a, b, c, d, e, prd;  
    double avg;  
    printf("Enter the the prices of 5 products:\n");  
    scanf("%d %d %d %d",&a, &b, &c, &d, &e);  
    avg = (((double)(a))+((double)(b))+((double)(c))+((double)(d))+((double)(e)))/5;  
    prd = (a*b*c*d*e);  
    printf("\nYour average price is: %lf",avg);  
    printf("\nThe product of the prices is: %d",prd);  
    return 0;  
}
```

### 31)

```
#include<stdio.h>  
int main()  
{  
    int a,b,c;  
    printf("enter a positive integer\n");
```



```
scanf("%d",&a);

b=a+1;

c=--a;

printf("Next value: %d",b);

printf("\nPrevious value: %d",c);

return 0;

}
```

### 32)

```
#include<stdio.h>

int main()

{

    int a;

    double tax;

    printf("Enter your annual salary: ");

    scanf("%d",&a);

    tax = (((20000-5000)*0.15) +((double)(a)-20000)*0.3));

    printf("\nYour tax to be paid is: %lf", tax);

    return 0;

}
```

### 33)

```
#include<stdio.h>

int main ()
```



```
{  
    int a;  
    printf("enter an integer value:");  
    scanf("%d",&a);  
    if (a%2==0)  
        printf("Even number");  
    else  
        printf("Odd number");  
    return 0;  
}
```

**34)**

```
#include<stdio.h>  
  
int main ()  
{  
    int a,b;  
    printf("enter two integer value:");  
    scanf("%d %d",&a,&b);  
    if (a>b)  
        printf("%d %d",b, a);  
    else  
        printf("%d %d",a, b);  
    return 0;
```



}

**35)**

```
#include<stdio.h>

int main()
{
    double height, weight, BMI;
    printf("Enter your weight(kg) and height(m):");
    scanf("%lf %lf",&weight, &height);
    BMI = ((weight)/(height*height));
    if(BMI<20)
        printf("Your BMI is %lf and you are lower than normal weight",BMI);
    else if(20<=BMI && BMI<=25)
        printf("Your BMI is %lf and you are normal weight",BMI);
    else if(25<BMI && BMI<=30)
        printf("Your BMI is %lf and you are overweight",BMI);
    else if(30<BMI && BMI<=40)
        printf("Your BMI is %lf and you are obese",BMI);
    else if(40<BMI)
        printf("Your BMI is %lf and you are extremely obese",BMI);
    else
        printf("You are not in any class");

    return 0;
}
```



```
}
```

**36)**

```
#include<stdio.h>

int main()
{
    int a, b, c, d, e;

    printf("Enter the prices of products: \n");
    scanf("%d %d %d %d %d",&a, &b ,&c, &d, &e);

    if(a>b && a>c && a>d && a>e)
        printf("The highest price is %d",a);
    else if(b>a && b>c && b>d && b>e)
        printf("The highest price is %d",b);
    else if(c>b && c>a && c>d && c>e)
        printf("The highest price is %d",c);
    else if(d>b && d>c && d>a && d>e)
        printf("The highest price is %d",d);
    else if(e>b && e>c && e>d && e>a)
        printf("The highest price is %d",e);
    else
        printf("They are equal prices");
}
```



**37)**

```
#include<stdio.h>

int main()
{
    int a, b, c;

    printf("Enter students grades: \n");
    scanf("%d %d %d",&a, &b ,&c);

    if(a>b && a>c && b>c )
        printf("%d %d %d",c,b,a);
    else if(b>a && b>c && c>a )
        printf("%d %d %d",a,c,b);
    else if(c>a && c>b && a>b )
        printf("%d %d %d",b,a,c);
    else
        printf("EQUAL GRADES");

}
```

**38)**

```
#include<stdio.h>

int main()
```



```
{  
    int a;  
    printf("Enter any integer \n");  
    scanf("%d",&a);  
    if(a<0)  
        printf("Negative integer");  
    else if(a==0)  
        printf("ZERO");  
    else  
        printf("Positive integer");  
}
```

**39)**

```
int main()  
{  
    int x;  
    printf("Enter student score");  
    scanf("%d",&x);  
  
    if (x>=70 && x<100)  
    {  
        printf("A");  
    }else if(x>=60 && x<69)
```



```
{  
    printf("B");  
}  
else if (x>=50 && x<59)  
{  
    printf("C");  
}  
else if(x>=40 && x<49)  
{  
    printf("D");  
}  
else if(x<39)  
{  
    printf("F");  
}  
else  
    printf("RE-WRITE THE EXAM");  
return 0;
```

