By Aminu Arafat Olasubomi. 17/mhs01/060

ANSWER:

The Cerebellum which is also referred to as the small Brain in some Literature, lies in the posterior cranial fossa. It is a part of the hind brain also known as the Rhombencephalon. Representing approximately 10 percent of the total volume of the brain, it functions in the coordination of muscle movements and maintenance of posture and balance. It is one of the first structures of the brain to begin to differentiate and one of the last to mature. Even after birth, it continues to grow for some months.

The cerebellum in humans develops from the dorsal region of the posterior neural tube with its cells originating from two germinal matrices, it arises from two rhombomeres located in the alar plate of the neural tube. The specific rhombomeres from which the cerebellum forms are rhombomere 1 (Rh.1) and the "isthmus". The Cerebellar neurons arise from two primary regions. The first region is the ventricular zone, a place in the roof of the fourth ventricle. It produces the Purkinje cells and deep nuclear neuron of the Cerebellum. The second germinal zone is known as the Rhombic lip. This layer of cells found on the exterior of the cerebellumproduces the granule neurons. The granule neurons migrate from this exterior layer to form an inner layer known as the internal granule layer. The external granular layer ceases to exist in the mature cerebellum, leaving only granule cells in the internal granule layer. The key transcription factors Math1 and Pax6 are expressed in Rhombic lip (RL) and the external germinal layer (EGL). This means that Math 1 is essential for the genesis of the granule cells. Ptfla is expressed in the ventricular neuroepithelium. Cerebellar granule cells go through several epochs of development from their origins in the rhombic lip around E12.5 to the trans-migratory cells that establish the EGL, to the highly proliferative and then migratory population that produces the largest cohort of neurons in the brain.

Cerebellar disorders is a statement used to refer to problems of the Cerebellum, an area in the brain that controls balance and coordination. These disorders include;

1. Dandy-Walker syndrome: A congenital anomaly relating to the Cerebellar Vermis, 4th ventricle and posterior fossa. It is characterized by an underdevelopment of the Cerebellar vermis, cystic enlargement of the 4th Ventricle and enlargement of the posterior fossa. A distinguishing symptom is Hydrocephalus. The cause for some patients has been as a result of chromosome abnormalities including deletion of chromosome 3q24.3, 6p25 or 13q32.2-q33.2, or duplication of 9p.

2. Cerebellar Hypoplasia: a neurological condition in which the cerebellum is smaller than usual or incompletely developed. It is a feature of a number of congenital malformation syndromes, such as Walker-Warburg syndrome. It is said to be due to a defect in the neuronal proliferation and neuronal migration during the development of the embryonic nervous system. Symptoms in infants may include; problems with walking and balance, seizures, and intellectual disability.

3. Joubert Syndrome: a condition characterized by the absence or underdevelopment of the cerebellar vermis in addition to a malformed brain stem. The most common features of in infants include abnormally rapid breathing, abnormal eye movements, hypotonia. E.t.c. In most cases, Joubert syndrome is inherited in an autosomal recessive manner.

4. Machado-Joseph Disease: an autosomal dominant neurodegenerative disease causing progressive Cerebellar Ataxia, resulting in a lack of motor control and coordination. This disease is a result of a genetic mutation that causes an expansion of abnormal 'CAG' trinucleotide which eventually forms an abnormal form of the protein Ataxin that causes the degeneration of the cells of the hindbrain.

5. Miller-Fisher syndrome: a nerve disorder that relates to the Guillain-Barré syndrome. Often triggered by a viral infection, most commonly the flu Characterized by muscle weakness, paralysis of the eye muscles and absence of tendon reflexes.

Sources: ninds.nih.gov healthline.com Wikipedia.org Medlineplus.gov