

NAME: O20ADIBE TEMPLE

MATRIC NO: 16ENG021051

DEPT: COMPUTER ENGINEERING

$$T_1 + T_2 - 2T_3 + T_4 + 3T_5 - T_6 = 4$$

$$2T_1 - T_2 + T_3 + 2T_4 + T_5 - 3T_6 = 20$$

$$T_1 + 3T_2 - 3T_3 - T_4 + 2T_5 + T_6 = -15$$

$$5T_1 + 2T_2 - T_3 - T_4 + 2T_5 + T_6 = -3$$

$$-3T_1 - T_2 + 2T_3 + 3T_4 + T_5 + 3T_6 = 16$$

$$4T_1 + 3T_2 + T_3 - 6T_4 - 3T_5 - 2T_6 = -27$$

SOLUTION.

$$\begin{bmatrix} 1 & 1 & -2 & 1 & 3 & -1 \\ 2 & -1 & 1 & 2 & 1 & -3 \\ 1 & 3 & -3 & -1 & 2 & 1 \\ 5 & 2 & -1 & -1 & 2 & 1 \\ -3 & -1 & 2 & 3 & 1 & 3 \\ 4 & 3 & 1 & 6 & -3 & -2 \end{bmatrix} \begin{bmatrix} T_1 \\ T_2 \\ T_3 \\ T_4 \\ T_5 \\ T_6 \end{bmatrix} = \begin{bmatrix} 4 \\ 20 \\ -15 \\ -3 \\ 16 \\ -27 \end{bmatrix}$$

$$T_1 = 2$$

$$T_2 = 1$$

$$T_3 = 5$$

$$T_4 = -3$$

$$T_5 = 4$$

$$\begin{bmatrix} 1 & 1 & -2 & 1 & 3 & -1 \\ 2-2(1) & -1-2(1) & 1-2(-2) & 2-2(1) & 1-2(3) & -3-2(-1) \\ 1-1(1) & 3-1(1) & -3-1(-2) & -1-1(1) & 2-1(3) & 1-1(-1) \\ 5-5(1) & 2-5(1) & -1-5(-2) & -1-5(1) & 2-5(3) & 1-5(-1) \\ -3+3(1) & -1+3(1) & 2+3(-2) & 3+3(1) & 1+3(3) & 3+3(-1) \\ 4-4(1) & 3-4(1) & 1-4(-2) & -6-4(1) & -3-4(3) & -2-4(-1) \end{bmatrix} \begin{bmatrix} T_1 \\ T_2 \\ T_3 \\ T_4 \\ T_5 \\ T_6 \end{bmatrix} = \begin{bmatrix} 4 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \end{bmatrix}$$

$$\begin{bmatrix} 4 \\ 20-2(4) \\ -15-1(4) \\ -3-5(4) \\ 16+3(4) \\ -27-4(4) \end{bmatrix}$$

$$\begin{bmatrix} 1 & 1 & -2 & 1 & 3 & -1 \\ 0 & -3 & 5 & 0 & -5 & -1 \\ 0 & 2 & -1 & -2 & -1 & 2 \\ 0 & -3 & 9 & -6 & -13 & 6 \\ 0 & 2 & -4 & 6 & 10 & 0 \\ 0 & -1 & 9 & 10 & -15 & 2 \end{bmatrix} \begin{bmatrix} T_1 \\ T_2 \\ T_3 \\ T_4 \\ T_5 \\ T_6 \end{bmatrix} = \begin{bmatrix} 4 \\ 12 \\ -19 \\ -23 \\ 28 \\ -43 \end{bmatrix}$$

$$T_1 = -2/3$$

$$T_2 = -1$$

$$T_3 = -2/3$$

$$T_4 = 1/3$$

$$\begin{bmatrix} 1 & 2 & -2 & 1 & 3 & -1 \\ 0 & -3 & 5 & 0 & -5 & -1 \\ 0 & 2 + \frac{2}{3}(-3) & -1 + \frac{2}{3}(5) & -2 + \frac{2}{3}(0) & -1 + \frac{2}{3}(-5) & 2 + \frac{2}{3}(-1) \\ 0 & -3 - 1(-3) & 9 - 1(5) & -6 - 1(0) & -13 - 1(-5) & 6 - 1(-1) \\ 0 & 2 + \frac{2}{3}(-3) & 4 + \frac{2}{3}(5) & 6 + \frac{2}{3}(0) & 10 + \frac{2}{3}(-5) & 0 + \frac{2}{3}(-1) \\ 0 & -1 - \frac{1}{3}(-3) & 9 - \frac{1}{3}(5) & -10 + \frac{1}{3}(0) & -15 - \frac{1}{3}(-5) & 2 - \frac{1}{3}(-1) \end{bmatrix} \begin{bmatrix} T_1 \\ T_2 \\ T_3 \\ T_4 \\ T_5 \\ T_6 \end{bmatrix} = \begin{bmatrix} 4 \\ 12 \\ -19 + \frac{2}{3}(12) \\ -23 - 1(12) \\ 28 + \frac{2}{3}(12) \\ -43 - \frac{1}{3}(12) \end{bmatrix}$$

$$\begin{bmatrix} 1 & 1 & -2 & 1 & 3 & -1 \\ 0 & -3 & 5 & 0 & -5 & -1 \\ 0 & 0 & 7/3 & -2 & -13/3 & 4/3 \\ 0 & 0 & 4 & -6 & -8 & 7 \\ 0 & 0 & -2/3 & 6 & 20/3 & -2/3 \\ 0 & 0 & 22/3 & -10 & -40/3 & 7/3 \end{bmatrix} \begin{bmatrix} T_1 \\ T_2 \\ T_3 \\ T_4 \\ T_5 \\ T_6 \end{bmatrix} = \begin{bmatrix} 4 \\ 12 \\ -11 \\ -35 \\ 36 \\ 47 \end{bmatrix}$$

~~Final Answer~~

$$F_1 = 17/7$$

$$F_2 = -2/7$$

$$F_3 = 22/7$$

$$\begin{bmatrix} 1 & 1 & -2 & 1 & 3 & -1 \\ 0 & -3 & 5 & 0 & -5 & -1 \\ 0 & 0 & 7/3 & -2 & -13/3 & 4/3 \\ 0 & 0 & 4 - 17/7(7/3) & -6 - 12/7(-2) & -8 - 12/7(-13/3) & 7 - 12/7(4/3) \\ 0 & 0 & -2/3 + 2/7(7/3) & 6 + 2/7(-2) & 20/3 + 2/7(-13/3) & -2/3 + 2/7(4/3) \\ 0 & 0 & 22/3 - 22/7(7/3) & -10 - 22/7(-2) & -40/3 - 22/7(-13/3) & 7/3 - 22/7(4/3) \end{bmatrix} \begin{bmatrix} T_1 \\ T_2 \\ T_3 \\ T_4 \\ T_5 \\ T_6 \end{bmatrix}$$

$$\begin{bmatrix} 1 & 1 & -2 & 1 & 3 & -1 \\ 0 & -3 & 5 & 0 & -5 & -1 \\ 0 & 0 & 7/3 & -2 & -13/3 & 4/3 \\ 0 & 0 & 0 & -18/7 & -4/7 & 33/7 \\ 0 & 0 & 0 & 38/7 & 38/7 & -2/7 \\ 0 & 0 & 0 & -26/7 & 2/7 & -13/7 \end{bmatrix} \begin{bmatrix} T_1 \\ T_2 \\ T_3 \\ T_4 \\ T_5 \\ T_6 \end{bmatrix} = \begin{bmatrix} 4 \\ 12 \\ -11 \\ -113/7 \\ 280/7 \\ -87/7 \end{bmatrix}$$

$$F_1 = \frac{-19}{9}, \quad F_2 = \frac{13}{9}$$

$$\begin{bmatrix} 1 & 1 & -2 & 1 & 3 & -1 \\ 0 & -3 & 5 & 0 & -5 & -1 \\ 0 & 0 & 7/3 & -2 & -13/3 & 4/3 \end{bmatrix}$$

$$T_1 = \frac{5}{19}$$

$$\begin{bmatrix} 1 & 1 & -2 & 1 & 3 & -1 \\ 0 & -3 & 5 & 0 & -5 & -1 \\ 0 & 0 & \frac{7}{3} & -2 & -\frac{13}{3} & \frac{4}{3} \\ 0 & 0 & 0 & -\frac{18}{7} & -\frac{4}{7} & \frac{33}{7} \\ 0 & 0 & 0 & \frac{38}{9} & \frac{29}{3} & \frac{29}{3} \\ 0 & 0 & 0 & \frac{10}{9} - \frac{5}{9} (\frac{38}{9}) & -\frac{26}{3} - \frac{5}{9} (\frac{29}{3}) & \end{bmatrix} \begin{bmatrix} T_1 \\ T_2 \\ T_3 \\ T_4 \\ T_5 \\ T_6 \end{bmatrix} = \begin{bmatrix} 4 \\ 12 \\ -11 \\ -113/7 \\ -11/9 \\ \frac{98}{9} - \frac{5}{9} (-\frac{11}{9}) \end{bmatrix}$$

$$\begin{bmatrix} 1 & 1 & -2 & 1 & 3 & -1 \\ 0 & -3 & 5 & 0 & -5 & -1 \\ 0 & 0 & \frac{7}{3} & -2 & -\frac{13}{3} & \frac{4}{3} \\ 0 & 0 & 0 & -\frac{18}{7} & -\frac{4}{7} & \frac{33}{7} \\ 0 & 0 & 0 & 0 & \frac{38}{9} & \frac{29}{3} \\ 0 & 0 & 0 & 0 & 0 & -\frac{213}{19} \end{bmatrix} \begin{bmatrix} T_1 \\ T_2 \\ T_3 \\ T_4 \\ T_5 \\ T_6 \end{bmatrix} = \begin{bmatrix} 4 \\ 12 \\ -11 \\ -113/7 \\ -11/9 \\ \frac{213}{19} \end{bmatrix}$$

$$\frac{-213}{19} T_6 = \frac{213}{19}$$

$$T_6 = \frac{213}{19} \times \frac{-19}{213} = -1$$

$$\frac{38}{9} T_5 + \frac{29}{3} T_6 = -\frac{11}{9}$$

$$T_5 = \left(-\frac{11}{9} + \frac{29}{3} \right) \times \frac{9}{38} = 2$$

$$T_4 = \left(-\frac{113}{7} + \frac{8}{7} + \frac{33}{7} \right) \times \frac{-7}{18} = 4$$

$$T_3 = (-11 + 8 + \frac{26}{3} + \frac{4}{3}) \times \frac{3}{7}$$

$$= 3$$

$$T_2 = \frac{12 - 15 + 10 - 1}{-3} = -2$$

$$T_1 = 4 + 2 + 6 - 4 - 6 - 1$$

$$= 1$$

$$\therefore T_1 = 1, T_2 = -2, T_3 = 3, T_4 = 4, T_5 = 2, T_6 = -1$$

